

RGBW Spot ULTRA 35

PROJECT: _____

TYPE: _____

SOURCE: _____

NOTES: _____

SPECIFICATIONS




LED Chip	LED ENGIN LZP RGBW field replaceable LED board
Luminaire Output	1400 total Lumens @ 350mA (26 watts) All colours on, Delivered from Luminaire with unobstructed beam.
Lumens Per Watt	54 Lumens minimum @ 26 watts, Delivered from Luminaire with unobstructed beam
CRI (6500K)	RGBW (White 75)
Colour Temperatures	RGBW (White CCT 6500)
Beam Angles	13, 30, 50
Ingress Protection	IP66
Warranty	Electronics = 5 years Body Aluminium = 5 years
Standards	BS/EN 60598.2.2 cUL 1598 PENDING CE



PRODUCT CONFIGURATION

Please fill in appropriate codes into boxes provided

Cat. No. S/U35



ADDITIONAL COMMENTS: _____

LUMINAIRE CONSTRUCTION

CNC machined from one of the following metals:

Body - solid high corrosion resistant 101mm (4") aluminium rod.

Base - high corrosion resistant 101mm (4") aluminium Rod.

Finished with chromate substrate, Epoxy layer and a UV resistant polyester powder coat colour.

Fixings and Mechanism - made from 316 Stainless Steel

Colours:

Black, Bronze, Silver Star, White, Birch, Olive Green, Dark Grey, Corten.

Step Lens:

12mm (1/2") Extra clear, low iron, shatter resistant glass.

Lifetime warranty

Gaskets:

Silicone, iron impregnated 220°C (428°F)

Cable:

Water resistant rubber

Adjustability:

The fully adjustable head allows 360 degrees rotation and 0-120 degrees elevation and can then be fixed in place using the inbuilt locking mechanism.


Mounting:

The mounting plate/ Bracket is fixed to the surface using stainless screws.


Luminaire Weight:

4kg (9 lbs)


ACCESSORIES




Snoot



Glare Guard



Hex Cell Louvre




Wall Plate Large
200mm, 8"


BEAM ANGLES

High efficiency Reflectors. Field replaceable

IES files available for download: www.hunzalighting.com/download.php



13° FWHM
TIR




30° FWHM
TIR

WIRING GUIDE

Diagrams are a guide only, wire colours and polarity may change depending on fixture and country

available for download: www.hunzalighting.com/download.php



Specifications may change without notification

DEC 2017